#### **APPLICATION FOR**

## SITE PLAN/SUBDIVISION/CONCURRENT SITE PLAN AND SUBDIVISION REVIEW

TOWN OF CONWAY, NH

#### **INSTRUCTIONS**

Please complete each section of this application from and submit it with all required application material to:

Town Planner or Planning Board

Conway Town Office

PO Box 2680/23 Main Street

Conway, NH 03818

Wherever possible, please call the Town Planner at (603) 447-3811, option 4 to arrange an appointment to hand-deliver the application. At a scheduled appointment, the material submitted will be reviewed for completeness with the applicant. Incomplete submission materials will be returned, causing unnecessary delays. Please use the appropriate checklist to ensure that your application is complete.

ΓΥΡΕ OF APPLICATIO	N (checi	k all that apply)			
Full Review		Conceptual Review		Design Review	<i>v</i> $\Box$
Lot Subdivision		Unit Subdivision		Boundary Line Adjustmer	ıt 🗆
PROPERTY OWNER Name:					
Daytime Phone #: Email Address:	(	_)			
AUTHORIZED AGENT	(Comple	ete if applicable)			
Mailing Address:	Name				
		)			
SITE IDENTIFICATION					
C4 4 A 11					
Zoning District:					
Lot Size:		(acres) PID:			
USES ON THE LOT			Ex	isting Proposed	
Total Non-Reside # Residential Unit		or Space Area (S.F)			
CERTIFICATION  hereby certify that all information	ormation	n presented as a part of th	is appl	lication is, to the best of my	knov
Signature of Owner				Doto	

### LIST OF ABUTTERS Town of Conway, NH

On this sheet, list the names and mailing addresses of the applicant, authorized agent (if applicable), and all abutters as indicated in Town records not more than five (5) days prior to submission, per RSA 676:4, I(b). <u>In addition, you must attach an adhesive mailing label for each entry.</u>

<u>MAP</u>	<u>PAR</u>		<u>OWNER</u>		<u>ADDRESS</u>	
		-				
		-				
		-				
		-				
		-				
		-				
Attach addi	tional copies of	this form if	necessary.			
Person/Firn	n, which prepa	red this list:				
	ich this list was					
		1 1				
			(Signature of Preparer)	)		
OATH TO B	E ADMINISTE	RED BY NOT	TARY PUBLIC O	R JUSTICE	OF THE PEACE:	
		pers	sonally appeared			
1 1		. ,		(Date)		
				utters to be o	correct and true and	
complete to t	he best of his/her	knowneuge a	ma ochel.			
					(Notary)	

# TOWN OF CONWAY, NEW HAMPSHIRE PLANNING BOARD SCHEDULE OF FEES FOR SITE PLAN, SUBDIVISION AND CONCURRENT SITE PLAN AND SUBDIVISION REVIEW

Please make checks payable to the: Town of Conway. Fee must be submitted with the application to be considered complete

		SITE PLAN	<b>SUBDIVISION</b>
<ul><li>New C</li><li>Motel/</li><li>\$30 pe exclud</li></ul>			
SUBDIVISION Lot Subdivi	ision		
	vision / Commoditization ee: \$250 per unit		
<b>Boundary I</b> ⋄ Filing Fe	Line Adjustment ee: \$250.00		
CONCEPTUA	L REVIEW Fee: \$100		
<b>DESIGN REV</b> ♦ Filing Fe			
<ul><li>♦ Applican</li><li>♦ Authorize</li><li>♦ Engineer</li></ul>	IFICATIONS  per @ \$40.00  pt @ \$10.00 each  ed Agent @ \$10.00 each  /Surveyor/Architect @ \$10.00 each  @ \$10.00 each		
◊ Regional	NOTIFICATION Planning Commission @ \$10.00 alities @ \$10.00 each		
	FEE et @ \$40.00 each (Mylar) " page @ \$20.00 each (Notice of Decision)		
TAX MAP AN  ♦ \$75.00 for	MENDMENT or each plan sheet		
SCANNING F	•		
	TOTAL DUE		and and all
Fee Paid:	(Application fees shall not exceed \$15,000 for Office Use \$ Check #:	-	esidential)  Cash: \$
Amount Due:	\$ Name on Check:		

Section	Application Content Item	Compliance
§110-6.A.	Correct type of application	
	Complete application signed by owner	
	Abutter's list and labels	
	Regional Impact	
	Payment of all fees	
	Plans (three copies)	
	Title Block	
	Owner's name	
	Project title	
	Bar scale	
	Numeric scale	
	Date(s) of preparation and revisions	
	Sheet number if in a set	
	North arrow.	
	Location map.	
	Lot area in acres and square feet.	
	Length of road frontage.	
	Green space calculations	
	Abutters names and uses	
	Existing 2' contours	
	Proposed 2' contours	
	Municipal, precinct & zoning boundaries (including overlays.)	
	Soil types and boundaries (SCS)	
	Proposed Bldgs (plan view, uses, sizes and elevations).	
	Plan view of existing buildings within 50' of the lot.	
	ROWs, roads, intersections and driveways within 50'.	
	Wetlands, watercourses proposed alterations.	
	Surface water bodies	
	Large Trees identified	
	Town Fire Chief/Inspector Approval	
	Other Town permits/approvals	
	Precinct Water Approval	
	Precinct Sewer Approval	
	State dredge and fill permit (wetland permit)	
	State septic approval/letter	
	State site specific approval	
	State groundwater permit	
	State shoreline protection permit	
	Other	
§110-6. B. 1.	Plan size up to 24" x 36"	
§110-6. B. 2.	Scale 1"=40' (or larger)	
§110-6. B. 3.	Supplemental plans	
§110-6. B. 4.	Surveyed property boundary lines (deflection angles)	
	Structure setback lines (Article 147)	
	Existing buildings (plan view, uses, sizes and elevations).	
	Name and address of surveyor.	
	Surveyor certification.	
	Name and address of engineer.	
	Engineer certification.	
§110-20.	Driveways and vehicular access	
§110-20.A.	NHDOT Permit	
§110-20.A.	Town Permit	
§110-20.B. §110-20.C.	Driveways on fronting roads	
§110-20.C. §110-20.D.	Multiple driveways on fronting roads (Industrial-1 District only)	
$\forall 110-20.D$ .	muniple arreways on noming roads (mausmai-1 District only)	1

Section	Application Content Item	Compliance
§110-20.F.	Driveways in accordance with §130-66.C(8)	•
§130-66.C.8.a.	Drainage analysis	
§130-66.C.8.b.	Min/Max width (10'/18' residential or 20'/36' commercial)	
§130-66.C.8.c.	90 (+/-15) degree intersection with street	
§130-66.C.8.d.	Residential intersection curb flair radii 15' minimum	
§130-66.C.8.e.	Maximum grade and negative grade to ditch line	
§130-66.C.8.f.	Commercial intersection curb flair radii 25' minimum	
§130-66.C.8.g.	Paved apron (15-30 feet) for unpaved driveways	
§130-66.C.8.h.	No more than one curb cut for residential lots	
§130-66.C.8.i.	Driveway site-distance/See Table 2 and/or Detail 5	
§130-66.C.8.j.	Modification of an existing driveway requires a driveway permit	
§130-66.C.8.k.	Construction Permit required for work on Town Properties or Roads	
§110-20.G.	Connecting drives	
§110-20.H.	Cross-easements for shared driveways	
§110-20.I.	Granite curbing	
§110-21.	Parking	
§110-21.A.	# of spaces/alternative standards	
§110-21.B.	Credit for public parking lot	
§110-21.C.	Parking reduction (reserved)	
§110-21.D.	Parking space location (off-site)	
§110-21.E.	Handicap parking spaces	
§110-22.	Parking lot design	
§110-22.A.	Aisle widths	
§110-22.B.	Paved	
§110-22.C.	Parking space dimensions	
§110-22.D.	Traffic control islands	
§110-22.E.	Traffic Circulation	
§110-22.F.	Percentage of parking lots to be landscaped	
§110-23.	Off-street loading area(s), trailers, storage containers	
§110-24.	Snow storage and removal	
§110-25.	Pedestrian access and circulation	
§110-26.	Lighting - Check setbacks and buffers	
§110-26.A.	Lighting fixtures no greater than 25-feet in height	
§110-26.B.	Individual lighting fixtures (or clusters on single pole) no greater than 40,000 lumens	
§110-26.C.	Not to exceed 4 lumens per SF of disturbed area/Site entirely LED-10% or up to 4.4 per SF	
§110-26.D.	Site Lighting shall not trespass beyond property lines	
§110-26.E.	International Dark Sky Association approved/Shielded/Installed per Manufacturer Specs	
§110-26.F.	Board may reduce the permitted heights	
§110-27.	Drainage plans and calculations	
§110-28.	Utility location of W/S/E	
§110-29.	Landscaping	
§110-29.A.	Buffer areas	
§110-29.A.1.	Buffer area defined	
§110-29.A.2.	Buffer vegetated with a mixture of deciduous and coniferous planting	
§110-29.A.3.	Buffer free of prohibited uses	
§110-29.A.4.	Driveways cross buffer @ 90 degrees+/- 15 degrees	
§110-29.A.5.	Frontage buffer exception for village commercial districts	
§110-29.B.	Green space (30%)	
§110-29.C.	Industrial (I-1) tree requirement	
§110-29.D.	Trees	
§110-29.D.1.	One tree/500 sq.ft. of disturbed area	
§110-29.D.2.	Tree credits (3" caliper minimum)	

Section	Application Content Item	Compliance
§110-29.D.3.	Tree credits (70' limiting distance)	•
§110-29.D.5.	Tree credits (Salt tolerance within 25' of Street ROW)	
§110-29.D.6.	Minimum 50% of trees in Islands and along borders of parking lots	
§110-29.D.7.	10% of required trees within traffic control islands	
§110-29.D.8.	Street tree requirements/5 feet from property line	
§110-29.D.9.	Tree size and location requirements	
§110-29.D.10.	Planting to be in accordance with Horticultural Standards	
§110-29.D.11.	Existing trees to be protected	
§110-29.E.	General standards	
§110-29.E.1.	Landscaping obstructions or hazards	
§110-29.E.1. §110-29.E.2.	Snow storage not permitted where tree damage could occur	
§110-29.E.2. §110-29.E.3.	Shrubsground cover shall be maintained to ensure soil stability.	
§110-29.E.3. §110-30.	Architectural Design: Elevation view(s) of proposed structure(s)	
0		
§110-30.A.	New England & Mountain Town Architecture	
§110-30.C.1.	Monotony of design avoided, roof pitch, etc. (buildings over 100-feet in length) Imitation of pitched roofs, hidden mechanical units, flush rooftop solar panels, etc.	
§110-30.C.2.	Exterior surface requirement	
§110-30.C.3.	Window requirements	
§110-31.	Patron rest rooms (identify location on plan)	
§110-32.	Solid waste recycling & disposal with screening	
§110-33.	Historic Sites	
§110-34.	On-site water supply	
§110-35.	On-site sewage disposal	
§110-36.	Wheel Chair Access	
§110-36.A.	Curb Ramps	
§110-36.B.	Access aisles adjoining handicap parking spaces paved	
§110-36.C.	Handicap parking spaces identified/Van Accessible Sign	
§110-36.D.	Main entrance wheelchair accessible	
§110-36.E.	"Drop off" area @ wheelchair accessible entrances (recommended/not required)	
§110-36.F.	Wheelchair ramps @ 1':12' slope or less	
§110-36.G.	Maximum slope of handicap parking space	
§110-37.	Floodplain construction	
§110-38.	Site Construction Standards	
§110-39.	Nuisances	
§110-40.	Public Health and Safety	
§110-41.	Temporary outdoor display of goods	
§110-41. §110-41.A.1.	Site plan required for temporary outdoor display of Goods	
§110-41.A.1. §110-41.A.2.	Maximum area (lessor of 5% of interior floor area or 1000 sq.ft.)	
§110-41.A.2. §110-41.A.3.	One sale area per business	
§110-41.A.3. §110-41.A.4.	Not in public or private ROW	
§110-41.A.5.	Located within covered sidewalkor within 5' of the building	
§110-41.A.5. §110-41.A.6.	Compliance with all Town building, Fire, Life Safety and ADA Codes	
§110-41.A.o. §110-42.	Plat notes required	
§110-42. §110-42.A.	Landscaping Landscaping	
§110-42.A. §110-42.B.	Easements, covenants and restrictions.	
§110-42.B. §110-42.C.	Maximum length vehicles	
~		
§110-42.D.	Snow storage and removal	
§110-42.E.	Waste materials and recyclables	
	Others as needed	
	Statement re: ADA compliance	
_	Waivers granted	
	Substitutions allowed	

Page 4 of 4 January 2, 2024

Will bonding be required?	
Is the application sufficiently complete?	
The application is sufficiently complete and a Public Hearing has been scheduled for:	

Page 1 of 2 January 2, 2024

Application Content Item	Compliance	Section
Complete Application Signed by Owner		130-7.B.(1) & 17.A
Abutter's list and labels		130-7.B.(2) & 17.B.(1)
Payment of all fees		130-7.B.(3), 17.B.(2) & 21
Plans (four copies)		130-7.B.(4) & 17.B.(3)
Bar Scale & Graphic Scale: 1" =100' or greater		130-23., 23.A. & 24.B.
Plans 22" x 34"		130-23.
Date and Date(s) of Any Revision(s)		130-23.A., 23.B., 24.A. & 24.B.
Name of Municipality		130-23.A. & 24.A.
Name of Subdivision		130-23.A. & 24.A.
Location Map		130-23.A.& 23.I.
Municipal and Zoning District		130-23.H.
Name and Address of Recorded Owner/Subdivider		130-23.A. & 24.A.
Reference Meridian and North Point		130-23.A. & 24.B.
Name and Address of Engineer/Surveyor/Designer		130-23.A. & 24.A.
Seal of Engineer and Certification Note		130-24.I. & 24.J.
Seal of Surveyor and Certification Note		130-24.I. & 24.J.
Subdivisions within 100' Intersecting Roads and Driveways Within 200'		130-23.C. & 24.C. 130-23.C. & 24.C.
Structures within 200'		130-23.C., 23.E. & 24.C.
Wooded areas within 200'		130-23.C., 23.E. & 24.C.
Abutters names, addresses and tax number	+	130-23.C. & 24.C.
Existing Lot lines and/or Unit locations		130-23.B., 23.D., 24.B. & 24.E.
Bearings and Dimensions		130-24.E.
Lot sizes in square feet and acres		130-23.B., 23.D., 24.B. & 24.E.
Consecutive numbering of lots and/or units		130-24.E.
Monuments at lot corners		130-24.E.
Proposed Lot lines and or Unit locations		130-23.D.& 24.E.
lots/Units numbered consecutively		130-23.C. & 24.E.
Bearings and Dimensions		130-24.E.
Lot sizes in square feet and acres		130-24.E.
Monuments at lot corners		130-24.E.
List/Location of Existing Easements/Deed Restrictions		130-23.E. & 24.F.
List/Location of Proposed Easements/Deed Restrictions		130-23.E. & 24.F.
Building setback lines		130-23.E. & 24.F.
Land reserved or dedicated for public use and purpose		130-23.E., 23.F.& 51.
Flood Prone areas (100-year)		130-23.E.
Significant natural or manmade features		130-23.E. & 24.F.
Water Mains and Sanitary Sewers  Drainage Structures, Lines & Ways		130-23.E. 130-23.E.
Watershed Areas & Watercourses		130-23.E. 130-23.E. & 24.F.
Existing telephone, electricity and other utilities		130-23.E. & 24.F.
Proposed telephone, electricity and other utilities		130-23.G.
Soil Mapping units and unit boundaries		130-23.J. & 28.
Soil Suitability Calculations for each proposed lot.		130-28.
Statement of soil suitability for development		130-23.K.
Contiguous area <15% slope of 8K/4K per unit		130-23.K.
Note of proposed use of sites other than residential		130-23.F. & 24.G.
Statement of the work required on existing streets		130-23.L.
Zoning Compliance Statement		130-23.M.
2-Foot Contours		130-23.N.
Watershed Areas		130-23.O.
Preliminary Drainage Analysis and Computations		130-23.O.
Preliminary Road Profiles		130-23.P.
NH DES Subdivision Application/Permit		130-23.Q.& 24.O.
NH DES Terrain Application/Permit		130-23.Q.& 24.O.
NH DOT Driveway Application/Permit		130-23.Q.& 24.O.
NH DES Dredge and Fill Application/Permit		130-24.Q.& 25.O.
Precinct Water/Sewer Approval		130-23.X., 24.N. & 53.A.
Fire Chief's Approval		130-24.S. & 53.C.
Police Chief's Approval		130-53.D.
Other Local/State Federal Applications/Approvals	+	130-23.Q, 23.S., 24.O.& 53.
Statement that lots and road centerlines are adequately flagged Test Pit 10-feet Deep		130-23.R. 130-23.T.
Lear Lir In-leer nech		130-23.1.

Page 2 of 2 January 2, 2024

Application Content Item	Compliance	Section(s)
Percolation Test Data and Date		130-23.U.
4K site suitable of sewage disposal		130-23.V.
Benchmark		130-23.W.
Deed Restrictions		130-24.F.
Parks or open space to be reserved/dedicated for public use		130-24.F.
Purpose of any easement/land reserved/dedicated to public use		130-24.G.
Location Map		130-24.H.
Subdivider's Responsibility Acknowledgement Note		130-24.L.
Approval of Municipality, State or County on plat		130-24.M.
Plan for recreational development of open space		130-24.Q.
BLA note		130-24.R.
Supplemental Plans		130-24.T.
Landscaping Note		130-24.U.
Easement Note		130-24.V.
Subdivision grading and drainage plans		130-25.A.
Road Design		130-25.B.
Subdivision Utility Plan		130-25.C.
All lots must front on a street		130-29.B.
Lots shall be sized per 130-29		130-29.C.
The lot length-to-width ration should generally not exceed 3:1		130-29.E.
Corner lots should have extra width re: street setbacks		130-29.F.
Sidelines of lots at right angles to straight/radial to curved streets		130-29.H.
Lots fronting on two parallel streets discouraged		130-29.I.
Open Space/Common Space		130-29.M.
Plats and access crossing municipal boundaries		130-31.
Reserve strips controlling access to subdivision/other parcels		130-32.
Rights-of-way		130-33.
New street names [Approved by the Conway PD]		130-34.
Preservation and protection of existing features		130-35.A.
Street Trees (60' O.C.) on streets or private ways.		130-36.A.
Performance Bond for 100% of landscaping		130-36.B.
Top Soil cannot be removed from site w/o PB permission		130-37.
Scattered or premature development not allowed		130-38.A.
Flood Hazard Area		130-39